


0301 KSS UV Resistant Nylon Cable Tie



- Material: Nylon 66 (UV RESISTANT BLACK)
- Carbon black was added for greater resistance to ultra violet in outdoor usage.
- Prolong useful life of cable tie under sunshine/outdoor application.
- UV resistant cable tie: for outdoor use with UV feature.



※ CVT-070W, 100W doesn't have minimum bundle diameter. ※ CV-200TW tail  ※ CV-300STZW, 180TW, 190TW tail 								
Unit: mm								
	Item No.		Length L		Width W	Max. Bundle Dia.	Min Loop Tensile Strength	
	100 pcs / Bag	1000 pcs / Bag	mm	inch			lbs	kgs
※	CVT-070W	CVT-070KW	71.0	2 13/16"	1.60	11	7	3
	CV-060W	CV-060KW	63.7	2 1/2"	2.40	11	18	8
	CV-075W	CV-075KW	75.0	3"	2.40	15		
	CV-080W	CV-080KW	80.0	3 1/8"	2.50	16		
	CV-094W	CV-094KW	96.0	3 3/4"	2.50	21		
	CV-100W	CV-100KW	100.0	4"	2.50	22		
※	CVT-100W	CVT-100KW	103.0	4"	1.95	22		
	CV-120SW	CV-120SKW	120.0	4 3/4"	2.50	28		
	CV-140SW	CV-140SKW	142.0	5 1/2"	2.50	35		
	CV-150SW	CV-150SKW	155.0	6 1/8"	2.50	39		
	CV-165W	CV-165KW	165.0	6 1/2"	2.50	43		
	CV-200MW	CV-200MKW	203.0	8"	2.50	55		
	CV-250SW	CV-250SKW	250.0	10"	2.50	68		
	CV-300MW		300.0	11 7/8"	2.50	80		
	CV-400SW		400.0	15 3/4"	2.50	116		
	CV-120W	CV-120KW	120.0	4 3/4"	3.20	28	40	18
	CV-140W	CV-140KW	142.0	5 1/2"	3.20	34		
	CV-150W	CV-150KW	150.0	6"	3.60	36		
	CV-180W	CV-180KW	180.0	7"	3.60	46		
※	CV-180TW	CV-180TKW	180.0	7"	3.60	46		
	CV-200SW	CV-200SKW	203.0	8"	3.20	53		

Distributeur : JBG-METAFIX

	CV-200AW	CV-200AKW	203.0	8"	3.60	52		
	CV-250MW	CV-250MKW	250.0	10"	3.60	68		
	CV-265W	CV-265KW	265.0	10 1/2"	3.60	73		
	CV-292W	CV-292KW	292.0	11 1/2"	3.60	82		
	CV-330W		330.0	13"	3.60	93		
	CV-368SW		368.0	14 1/2"	3.60	105		
	CV-120LW	CV-120LKW	120.0	4 3/4"	4.80	27		
	CV-160LW	CV-160LKW	160.0	6 1/4"	4.80	39		
	CV-190W	CV-190KW	190.0	7 1/2"	4.80	49		
※	CV-190TW	CV-190TKW	190.0	7 1/2"	4.80	49		
	CV-200W	CV-200KW	203.0	8"	4.60	52		
	CV-200DW	CV-200DKW	203.0	8"	4.80	52		
※	CV-200TW	CV-200TKW	203.0	8"	4.60	52		
	CV-250W	CV-250KW	250.0	10"	4.80	68		
	CV-280W	CV-280KW	280.0	11"	4.80	77		
	CV-300SW		300.0	11 7/8"	4.80	83		
	CV-310W		310.0	12"	4.80	86		
	CV-350W		350.0	13 3/4"	4.60	98		
	CV-368W		368.0	14 1/2"	4.80	105		
	CV-385W		385.0	15 3/16"	4.80	110		
	CV-400W		400.0	15 3/4"	4.60	116		
	CV-432W		432.0	17"	4.80	125		
	CV-450MW		450.0	17 3/4"	4.80	131		
	CV-500W		500.0	19 11/16"	4.80	147		
	CV-550SW		550.0	21 11/16"	4.80	162		
	CV-610SW		610.0	24"	4.80	181		
	CV-635SW		635.0	25"	4.80	189		
	CV-730SW		730.0	28 3/4"	4.80	219		
	CV-914SW		914.0	36"	4.80	278		
▲	CV-200ZW	CV-200ZKW	200.0	8"	4.60	48		
▲	CV-280ZW	CV-280ZKW	280.0	11"	4.80	70		
▲	CV-300SZW		300.0	11 7/8"	4.80	74		
▲	CV-368ZW		368.0	14 1/2"	4.80	94		
※▲	CV-300STZW		300.0	11 7/8"	4.80	83	80	36
	CV-380SW		380.0	15"	6.40	108	100	45
	CV-120LLW	CV-120LLKW	120.0	4 3/4"	7.60	22		
	CV-150LW	CV-150LKW	150.0	6"	7.60	32		
	CV-200LW	CV-200LKW	203.0	8"	7.60	52		
	CV-240LW	CV-240LKW	240.0	9 7/16"	7.60	61		
	CV-250LW		250.0	10"	7.60	64		
	CV-280LW	CV-280LKW	280.0	11"	7.60	74		
	CV-300W		300.0	11 7/8"	7.60	80		
	CV-340W		340.0	13 1/2"	7.60	92		
	CV-360W		360.0	14 3/16"	7.60	99		
	CV-370W		370.0	14 9/16"	7.60	101		
	CV-380W		380.0	15"	7.60	105		
	CV-380LW		380.0	15"	8.00	105		
	CV-450W		450.0	17 3/4"	8.00	128		
	CV-500LW		500.0	19 11/16"	8.00	143		
	CV-550W		550.0	21 11/16"	8.00	160		
	CV-610MW		610.0	24"	7.60	177		
	CV-750W		750.0	29 1/2"	7.50	223		
	CV-450LW		450.0	17 3/4"	9.00	128	175	80

Distributeur : JBG-METAFIX

☐	CV-550DW		550.0	21 11/16"	9.00	160
☐	CV-610W		610.0	24"	9.00	177
☐	CV-685W		685.0	27"	9.00	202
☐	CV-710W		710.0	28"	9.00	209
☐	CV-762W		762.0	30"	9.00	227
☐	CV-812W		812.0	32"	9.00	243
☐	CV-914W		914.0	36"	9.00	275
☐	CV-940W		940.0	37"	9.00	284
☐	CV-1168W		1,168.0	46"	9.00	356
☐	CV-1219W		1,219.0	48"	9.00	372
☐	CV-1500W		1,500.0	59"	9.00	462

Input Sample Order

Check Selected

Return All Selected

Home

About KSS

Contact Us

What's New

New Product

Our Products

Search

KAI SUH SUH ENTERPRISE CO., LTD.

- Last Updated 23 December 2019 -

